



COMERCIAL DEL RECAMBIO
MASSANET
desde 1944

Petronas - 71599MK2EU - URANIA SUPREMO CI-4 15 w 40 envase de 5 LITROS

ACEA E7, API CI-4, Global DHD-1, CUMMINS CES 20078 / CES 20077, DEUTZ DQC III-10, MACK EO-N, MAN M3275, MB-Approval 228.3, RENAULT RVI RLD-2, MTU Type 2, VOLVO VDS-3, CAT ECF-2 Perf./ ECF-1-a Perf., ZF TE ML 07C Perf.



PETRONAS
Urania

3000

EXCELLENT STRENGTH,
EXTENDED OIL LIFE



15W-40
FOR YOUR ENGINE



API SAE 15W-40
20L



StrongTech™
Strong performance



20L PETRONAS
STRONGTECH 15W-40

URANIA AFTER MARKET

URANIA SUPREMO CI-4

Posee el máximo de las especificaciones internacionales obtenibles para un producto de tipología mineral, ofreciendo óptimas prestaciones en todo tipo de vehículos con motorizaciones Euro 4 / 5 dotados de SCR y EGR.



Especificaciones

SAE 15W-40
ACEA E7/E5
API CI-4
MB-Approval 228.3
MAN M3275
VOLVO VDS-3
RENAULT RVI RLD-2
MTU TYPE 2
CAT ECF-1

DPTO. MKT- DICIEMBRE 2010